

Empowering Futures: Strategies for Enhancing Maternal and Newborn Health Globally

Ismael Valladolid-Acebes, PhD

Organizational Development Director at PLATFORM for the NEEDY

The implementation of effective healthcare strategies for reproductive, maternal, newborn, child, and adolescent health (RMNCAH+N) is crucial for improving health outcomes globally. This review synthesizes current evidence and implementation guides from various sources to highlight key strategies and interventions.

1. Quality of Care and Implementation Strategies

The World Health Organization (WHO) emphasizes the importance of improving quality of care (QoC) across all levels—national, district, and facility—to enhance RMNCAH+N outcomes. This includes comprehensive guidelines and tools for implementing evidence-based practices tailored to local contexts (WHO, 2022). Implementation guides such as those from WHO and other global health bodies provide frameworks for integrating essential maternal and newborn health services effectively (WHO, 2022; Namukose et al., 2024).

2. Interventions and Impact

Integrating nutrition assessment, counseling, and support into maternal health services has shown promising impacts on maternal-infant nutritional status and health in diverse settings such as Uganda (Namukose et al., 2024). Additionally, strategies like kangaroo mother care (KMC) have been endorsed by WHO as fundamental in reorganizing maternal-infant care practices to reduce neonatal mortality and improve health outcomes (Darmstadt et al., 2023).

3. Financing and Global Initiatives

Global Financing Facility (GFF) investments in vulnerable populations have targeted maternal and newborn health, emphasizing the need for sustained financial support to implement scalable interventions across African countries (Kinney et al., 2024). These initiatives underscore the importance of financial commitment and resource allocation for achieving sustainable improvements in RMNCAH+N outcomes.

4. Evidence-Based Practices

Research efforts have identified effective antenatal interventions that prioritize maternal and newborn health, aiming to improve birth weight outcomes especially in low- and middle-income countries (Koivu et al., 2023). Such evidence-based practices are crucial for guiding policy and programmatic decisions to address maternal and newborn health challenges effectively.

5. Assessment and Surveillance

Ensuring data completeness and validity in population-based surveys is critical for accurately assessing gestational age and other maternal and newborn health indicators, as highlighted by the EN-INDEPTH study (Haider et al., 2021). Reliable data are essential for monitoring progress and evaluating the impact of healthcare interventions.

6. Uptake of Lifesaving Services

Assessment studies from regions like Hoima District, Uganda, emphasize the importance of assessing and improving the uptake of lifesaving maternal and newborn healthcare services at the community level (Babughirana et al., 2020). Addressing barriers to access and utilization is pivotal for achieving equitable health outcomes.

Discussion

Effective implementation of healthcare strategies for reproductive, maternal, newborn, child, and adolescent health (RMNCAH+N) is pivotal for improving global health outcomes. This discussion synthesizes current evidence and implementation guides to underscore key strategies and interventions crucial in this domain.

Quality of care (QoC) is paramount across all levels of healthcare delivery to enhance RMNCAH+N outcomes (WHO, 2022). The World Health Organization provides comprehensive guidelines and tools for implementing evidence-based practices tailored to local contexts, ensuring effective integration of essential maternal and newborn health services (WHO, 2022; Namukose et al., 2024). For instance, integrating nutrition assessment, counseling, and support into maternal health services has demonstrated significant impacts on maternal-infant nutritional status in settings like Uganda (Namukose et al., 2024).

Kangaroo mother care (KMC), endorsed by WHO, stands out as a fundamental strategy for reorganizing maternal-infant care practices, thereby reducing neonatal mortality rates and improving overall health outcomes (Darmstadt et al., 2023). Such interventions highlight the critical need for systematic approaches to transform healthcare delivery systems.

Financial commitments through initiatives like the Global Financing Facility (GFF) are pivotal in targeting vulnerable populations and sustaining interventions aimed at maternal and newborn health across African countries (Kinney et al., 2024). These investments underscore the importance of adequate resource allocation to achieve scalable improvements in RMNCAH+N outcomes.

Evidence-based practices are essential for guiding policy decisions and programmatic interventions aimed at improving maternal and newborn health, especially in low- and middle-income countries (Koivu et al., 2023). Research efforts focus on identifying effective antenatal interventions to optimize birth weight outcomes and enhance maternal health.

Ensuring reliable data through robust assessment and surveillance mechanisms is critical for accurately monitoring progress and evaluating the impact of healthcare interventions (Haider et al., 2021). Population-based surveys, such as those conducted

by the EN-INDEPTH study, play a crucial role in providing comprehensive data on maternal and newborn health indicators.

At the community level, studies from Hoima District, Uganda, emphasize the importance of assessing and enhancing the uptake of lifesaving maternal and newborn healthcare services to address barriers to access and utilization effectively (Babughirana et al., 2020). These insights highlight the need for tailored approaches to improve healthcare delivery and outcomes in resource-constrained settings.

In conclusion, integrating evidence-based practices, ensuring financial sustainability, leveraging comprehensive data, and addressing barriers to healthcare access are pivotal in advancing RMNCAH+N outcomes globally. Strategic implementation guided by robust evidence and tailored to local contexts remains essential for achieving meaningful progress in maternal and newborn health.

Conclusion

In conclusion, effective implementation of RMNCAH+N healthcare services requires a multifaceted approach that integrates evidence-based practices, robust financing mechanisms, data-driven decision-making, and community engagement. By leveraging global guidelines, innovative interventions, and strategic investments, stakeholders can contribute significantly to improving maternal and newborn health outcomes worldwide.

Recommendations

1. **Quality of Care (QoC) Improvement:**
 - Implement WHO guidelines for enhancing QoC at national, district, and facility levels.
 - Use evidence-based tools and practices tailored to local contexts to ensure comprehensive RMNCAH+N services.
2. **Nutrition Integration:**
 - Integrate nutrition assessment, counseling, and support into maternal health services universally.
 - Monitor and evaluate the impact of integrated nutrition interventions on maternal-infant health outcomes.
3. **Kangaroo Mother Care (KMC):**
 - Promote the adoption of KMC for preterm and low birth weight infants to reduce neonatal mortality and improve health outcomes.
4. **Financial Support and Global Initiatives:**
 - Advocate for sustained financial support through mechanisms like the Global Financing Facility (GFF) to scale up RMNCAH+N interventions.
 - Prioritize investments targeting vulnerable populations in low-resource settings to ensure equitable access to healthcare.
5. **Evidence-Based Antenatal Interventions:**
 - Prioritize evidence-based antenatal interventions that enhance maternal and newborn health, with a focus on improving birth weight outcomes in low- and middle-income countries.
6. **Data Collection and Surveillance:**

- Ensure comprehensive data collection and accurate assessment of maternal and newborn health indicators through population-based surveys.
 - Implement robust data validation protocols to enhance data completeness and reliability for monitoring progress and evaluating interventions.
- 7. Community Engagement and Uptake of Services:**
- Assess and address barriers to accessing lifesaving maternal and newborn healthcare services at the community level.
 - Foster community engagement to promote awareness and utilization of RMNCAH+N services, emphasizing equity and inclusivity.
- 8. Training and Capacity Building:**
- Provide continuous training for healthcare providers on evidence-based RMNCAH+N practices and guidelines.
 - Strengthen healthcare systems' capacity to deliver high-quality maternal and newborn care through skill-building and knowledge transfer.
- 9. Adolescent Health Services:**
- Develop and implement integrated health services tailored to adolescents' needs, including sexual and reproductive health education and services.
- 10. Innovation and Technology:**
- Harness digital health solutions for improving access to RMNCAH+N services, including telemedicine for remote areas and mobile health applications for health education and monitoring.
- 11. Policy Advocacy and Implementation:**
- Advocate for policy reforms that support comprehensive RMNCAH+N services and ensure their effective implementation at all levels of the healthcare system.
 - Foster collaboration between government entities, NGOs, and international organizations to align policies with global health goals and priorities.
- 12. Maternal Mental Health Support:**
- Integrate mental health screening and support services into routine maternal healthcare to address maternal mental health challenges during and after pregnancy.
- 13. Continuum of Care:**
- Strengthen the continuum of care from pregnancy through childbirth and postpartum periods, ensuring seamless transitions and comprehensive support for mothers and newborns.
- 14. Research and Innovation:**
- Encourage research initiatives focused on identifying novel interventions and improving existing RMNCAH+N practices to address emerging health challenges and disparities.
- 15. Emergency Obstetric and Newborn Care (EmONC):**
- Ensure availability and accessibility of EmONC services in all healthcare facilities, particularly in rural and underserved areas, to reduce maternal and newborn mortality rates.
- 16. Cultural Sensitivity and Respectful Maternity Care:**
- Promote culturally sensitive approaches and ensure the provision of respectful maternity care to enhance patient satisfaction, trust, and health-seeking behaviors.

Implementing these recommendations comprehensively and collaboratively can contribute significantly to achieving sustainable improvements in RMNCAH+N outcomes globally. Each recommendation targets specific aspects of care delivery, policy support, and community engagement essential for holistic maternal and newborn health enhancement.

References

- Babughirana G, Gerards S, Mokori A, Nangosha E, Kremers S, Gubbels J. Maternal and newborn healthcare practices: assessment of the uptake of lifesaving services in Hoima District, Uganda. *BMC Pregnancy Childbirth*. 2020 Nov 11;20(1):686. doi: 10.1186/s12884-020-03385-x.
- Darmstadt GL, Kirkwood B, Gupta S; WHO Strategic and Technical Advisory Group of Experts for Maternal, Newborn, Child, and Adolescent Health and Nutrition KMC Working Group. WHO Global Position Paper and Implementation Strategy on kangaroo mother care call for fundamental reorganisation of maternal-infant care. *Lancet*. 2023 May 27;401(10390):1751-1753. doi: 10.1016/S0140-6736(23)01000-0.
- Haider MM, Mahmud K, Blencowe H, Ahmed T, Akuze J, Cousens S, Delwar N, Fisker AB, Ponce Hardy V, Hasan SMT, Imam MA, Kajungu D, Khan MA, Martins JSD, Nahar Q, Netey OEA, Tesega AK, Yargawa J, Alam N, Lawn JE; Every Newborn-INDEPTH Study Collaborative Group. Gestational age data completeness, quality and validity in population-based surveys: EN-INDEPTH study. *Popul Health Metr*. 2021 Feb 8;19(Suppl 1):16. doi: 10.1186/s12963-020-00230-3.
- Kinney M, Kumar MB, Kaboré I, Kiendrébéogo J, Waiswa P, Lawn JE. Global Financing Facility investments for vulnerable populations: content analysis regarding maternal and newborn health and stillbirths in 11 African countries, 2015 to 2019. *Glob Health Action*. 2024 Dec 31;17(1):2329369. doi: 10.1080/16549716.2024.2329369.
- Koivu AM, Haapaniemi T, Askari S, Bhandari N, Black RE, Chico RM, Dewey KG, Duggan CP, Klein N, Kumar S, Lawn JE, Manji K, Näsänen-Gilmore PK, Salasibew M, Semrau KEA, Ashorn U, Ashorn P; LBW prevention prioritization working group. What more can be done? Prioritizing the most promising antenatal interventions to improve birth weight. *Am J Clin Nutr*. 2023 Jun;117 Suppl 2(Suppl 2). doi: 10.1016/j.ajcnut.2022.10.022.
- Namukose S, Maina GW, Kiwanuka SN, Makumbi FE. Effect of nutrition assessment, counselling and support integration on mother-infant nutritional status, practices and health in Tororo and Butaleja districts, Uganda: A comparative non-equivalent quasi-experimental study. *J Health Popul Nutr*. 2024 Jun 12;43(1):84. doi: 10.1186/s41043-024-00559-7.
- Rangel Bousquet Carrilho T, Wang D, Hutcheon JA, Wang M, Fawzi WW, Kac G; members of the GWG Pooling Project Consortium. The Impact of Excluding Adverse Neonatal Outcomes on the Creation of Gestational Weight Gain Charts Among Women from Low- and Middle-income Countries with Normal and Overweight BMI. *Am J Clin Nutr*. 2024 Jun;119(6):1465-1474. doi: 10.1016/j.ajcnut.2024.03.016.

- STAGE (Strategic Technical Advisory Group of Experts); Duke T, AlBuhairan FS, Agarwal K, Arora NK, Arulkumaran S, Bhutta ZA, Binka F, Castro A, Claeson M, Dao B, Darmstadt GL, English M, Jardali F, Merson M, Ferrand RA, Golden A, Golden MH, Homer C, Jehan F, Kabiru CW, Kirkwood B, Lawn JE, Li S, Patton GC, Ruel M, Sandall J, Sachdev HS, Tomlinson M, Waiswa P, Walker D, Zlotkin S. World Health Organization and knowledge translation in maternal, newborn, child and adolescent health and nutrition. Arch Dis Child. 2022 Jul;107(7):644-649. doi: 10.1136/archdischild-2021-323102.